



METHOD OF CUTTING MATERIAL
 LONGITUDINAL SEAMS TO BE SELVAGE SEWN FOLDED AND RESEWN.
 ALL SEAMS AND HEM TO BE NOT LESS THAN 8 STITCHES PER 25mm. THREAD TO BE NOT LESS IN WEIGHT AND QUALITY THAN KNOX'S No 35 NYLON COTTON BLEND.

COLOUR: PLAIN WHITE OR TANGERINE
 MATERIAL: NYLON REINFORCED VINYL FRABRIC 10 oz/sq yd.
 TENSILE STRENGTH: WARP 85 FELL 80
 TEAR STRENGTH: WARP 35 FELL 35
 COLOUR FASTNESS: 3-4 TO B.S.S 2662.

ALLOW 6080 mm x 810 mm OF MATERIAL PER WINDSOCK

WINDSOCK CONSTRUCTION