

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|-----------------|--------------------|---|---------------------|---------------|
| Models listed on the STC AML that are Type Accepted or eligible for Type Acceptance in New Zealand. | SA 1468 | LBA | Use of Oratex Covering Fabric | 04/02/2016 | 16/ACM/27 |
| | STC 10050167 | EASA | Use of Oratex Covering Fabric | 04/02/2016 | 16/ACM/28 |
| AgustaWestland S.p.A A109E, A109S, AW109SP | STC SR02988CH | FAA | Installation of the Inlet Barrier Filter System (IBF) | 26/06/2017 | 17/ACM/124 |
| Airbus A320 Series | LBA.21E2.TA0741 | EASA | Zonal dryer | 10/6/2009 | 9/ACM/67 |
| | STC 10031757 | EASA | Bucher Leichtbau ATS 16g Stretcher P/N 1123000-series *Note: accepted as “basis” STC only; a separate design change approval is required to allow for installation in the aircraft **Includes acceptance on A321 series | 01/02/2017 | 17/ACM/87 |
| Airbus Helicopters AS350 series | ERR-060 R0 | Transport Canada | MRB LE abrasion strip replacement | 7/6/2013 | 13/ACM/85 |
| | ERR-082 R0 | Transport Canada | MRB polyurethane strip/wedge replacement | 7/6/2013 | 13/ACM/85 |
| | Type Acceptance | FAA | All FAA STC’s | 28/6/2013 | 13/21B/10 |
| Airbus Helicopters AS350 series | STC 10044362 | EASA | Installation of Concorde lead-acid battery in place of Ni-Cad. | 14/9/2016 | 17ACM/19 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|----------------------------------|---|--------------------|---|---------------------|---------------|
| Airbus Helicopters AS355 series | ERR-073 R0 | Transport Canada | MRB polyurethane strip/wedge replacement | 7/6/2013 | 13/ACM/85 |
| | ERR-074 R0 | Transport Canada | MRB SS LE strip replacement | 7/6/2013 | 13/ACM/85 |
| | SR00889SE | FAA | Installation of Simplex 210 agricultural spray tank system | 21/10/2014 | 15/ACM/25 |
| Airbus Helicopters EC130 T2 | SH14-31 | Transport Canada | Cargo pod installation | 15/12/2014 | 15/ACM/52 |
| Airbus Helicopters EC135 P2, T2 | EASA.IM.R.S.01356 (now EASA STC # 10016959) | EASA | Installation of Air Comm Corporation Cabin Air Conditioning System | 25/07/2014 | 14/ACM/157 |
| Airbus Helicopters AS332C, L, L1 | SR00631DE-D | FAA | Dual Engine Cycle Counters | 1/11/2013 | 14/ACM/50 |
| Airbus Helicopters MBB BK117 | AC43-14 | FAA | Use of AC for BK117 with 10 passenger seats. | 20/5/2014 | A-540-K01/1 |
| | SR00631DE-D | FAA | Installation of AKV Inc. dual engine cycle counter BK1172XCC system | 11/3/2014 | 14/ACM/102 |
| | SH97-10 | Transport Canada | Installation of Technisonic Transceiver. | 22/4/2014 | 14/ACM/132 |
| | SH15-20 | Transport Canada | Installation of Talon Cargo Hook and optional Chin Mirror. | 3/9/2015 | 16/ACM/12 |
| | STC 10054475 | EASA | Installation of External Load Attachment Device EAD03 on | 20/05/2016 | 16/ACM/85 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|-----------------------|--------------------|---|---------------------|---------------|
| | | | existing hard points | | |
| | SR01906LA | FAA | Installation of multiple-place utility troop seating system | 24/05/2016 | 16/ACM/93 |
| Beechcraft 400A | ST02371LA & ST10959SC | FAA | Nextant STC's – Installation of JT15D-5 engine and avionics. | 29/6/2015 | 15/ACM/69 |
| Bell 427 Series | Type Acceptance | FAA, EASA | All FAA STC's | 30/8/2011 | 11/21B/29 |
| Bell 429 Series | Type Acceptance | FAA, EASA | All FAA & EASA STC's | 14/12/2010 | 11/21B/3 |
| Boeing 737-300/400 | SA15-84 | Transport Canada | Installation of second FMS | 14/12/2015 | 16/ACM/42 |
| Boeing 767-300 | EASA.A.S.02890 | EASA | Zonal dryer | 16/3/2009 | 9/ACM/34 |
| Boeing 777-200 | STC 10039911 | EASA | Zonal dryer | 8/6/2012 | 12/MSCA/16 |
| Boeing 777 Series, 787-9 | STC 10031757 | EASA | Bucher Leichtbau ATS 16g Stretcher P/N 1123000-series *Note: accepted as “basis” STC only; a separate design change approval is required to allow for installation in the aircraft | 13/06/2016 | 16/ACM/95 |
| Cessna 172 Series | STC 10014287 | EASA | Replacement Engine (Thielert) | 28/9/2006 | 7/ACM/17 |
| Cessna 172R,S, 182S,T, T182T, 206H, T206H | SA10700LA | FAA | Am-safe AAIR System (Special Condition) | 12/4/2005 | A435-06 |
| Cessna C208, C208B | EASA HL/MOD/1358 | EASA | Gama Aviation Installation of Nav/Comm system Garmin GNC 255(x) / GTR 225(x) | 18/07/2017 | 17/ACM/125 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|-------------------------------------|-----------------|--------------------|---|---------------------|---------------|
| | | | products | | |
| Cessna P210N/R & T210M/N/R | 10038720 | EASA | MT Propellers | 21/12/2012 | 13/ACM/49 |
| Diamond Aircraft Industries DA20-C1 | Type Acceptance | FAA | All FAA STC's | 24/4/2014 | 3/21B/29 |
| Diamond Aircraft Industries DA 42 | Type Acceptance | FAA | Installation of all FAA STC's applicable to the DA 42 with TC A57CE | 23 May 2017 | 17/ACM/116 |
| Diamond Aircraft Industries DA 42 | Type Acceptance | EASA | Installation of all EASA STC's applicable to the DA 42 with TC EASA.A.005 | 23 May 2017 | 17/ACM/116 |
| GA200 Series | SA593CH | FAA | Installation of Champion SlickSTART magneto booster system | 10/09/2014 | 14/ACM/156 |
| IAI Westwind 1124A | ST01855CH-D | FAA | Digital Electronic Engine Controls | 1/10/2009 | 10/ACM/14 |
| Kawasaki BK117 | AC43-14 | FAA | Use of AC43-14 for BK117 with 10 passenger seats. | 20/5/2014 | A-540-K01/1 |
| | SR00631DE-D | FAA | Installation of AKV Inc. dual engine cycle counter BK1172XCC system | 11/3/2014 | 14/ACM/102 |
| | SVR509 | CASA | AKV Dual Engine Cycle Counter | 08/12/2014 | DW1301744-0 |
| Learjet 35A | SA1606CE | FAA | Hayes Towed Target System (Restricted category) | 28/8/2003 | 4/ACM/10 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|-----------------------------|------------------|--------------------|--|---------------------|---------------|
| | SA2018CE | FAA | Marquart Towed Target System (Restricted category) | 28/8/2003 | 4/ACM/10 |
| MDHI 369 series | ERR-064 R0 | Transport Canada | MRB Void repairs | 7/6/2013 | 13/ACM/85 |
| | ERR-084 R0 | Transport Canada | TRB Void repairs, LE replacement | 7/6/2013 | 13/ACM/85 |
| Mitsubishi MU-2B-30 | SA01933LA-D | FAA | Garmin 400W/500W series | 13/11/2016 | 16/ACM/35 |
| Pacific Aerospace Ltd 750XL | EASA.A.S.03481 | FAA | MT 4-bladed Propeller | 8/8/2008 | 9/ACM/11 |
| | SA10822SC | FAA | Aspen Avionics electronic flight displays | 21/3/2014 | A-540-P10 |
| | Type Certificate | FAA | All FAA STC's | 28/6/2016 | 16/ACM/105 |
| Pilatus PC-6 | IM23-SF-0127 | EASA (DGAC) | Replacement Engine | 22/7/2011 | 12/ACM/3 |
| | STC 10031167 | EASA | MT 4-blader Propeller | 29/11/2013 | 14/ACM/74 |
| Pilatus PC-12 Series | Type Acceptance | FAA, EASA | All FAA STC's & all EASA STC's issued since Nov 2003 | 20/9/2013 | 13/21B/28 |
| Piper PA-28 Series | EASA.A.S.01632 | EASA | Replacement Engine (Thielert) | 28/9/2006 | 7/ACM/12 |
| | EASA HL/MOD/1358 | EASA | Gama Aviation Installation of Nav/Comm system Garmin GNC 255(x) / GTR 225(x) products | 26/05/2017 | 17/ACM/117 |
| P & WC PT6A-20, -20A, -20B | SE00003EN | FAA | MORE Maintenance Program | 4/4/1996 | 96/MOD/273 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|-----------------------|---------------------------|-----------------------------|----------------------------|----------------------|
| P & WC PT6A-34, -34AG, -34B, -114, -114A, -116, -135, -135A | SE00002EN | FAA | MORE Maintenance Program | 9/6/2015 | 15/AC/62 |
| P & WC PT6A-11, -11AG, -15AG, -110, -112 | SE00004EN | FAA | MORE Maintenance Program | 9/6/2015 | 15/AC/62 |
| P & WC PT6A-21, 27, -28, | SE000EN | FAA | MORE Maintenance Program | 21/7/2015 | 16/ACM/3 |
| P & WC PT6A-38, -41, -42, -42A | SE00001EN | FAA | MORE Maintenance Program | 21/7/2015 | 16/ACM/5 |
| SOCATA TB 10 & TB 200 | SA372CH | FAA | McCauley governor propeller | 22/9/2014 | 15/MSCA/10 |