

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|---|--------------------|--|---------------------|---------------|
| Models listed on the FAA-PMA that are Type Accepted or eligible for Type Acceptance in New Zealand. | Parts Manufacturer Approval (PMA) | FAA | Replacement* FAA-PMA parts and their associated technical data (e.g. ICA) from FAA approved PMA suppliers. *Data associated with ‘modification’ or ‘STC’ PMAs must satisfy CAR 21 Appendix D (b). | 02/08/2018 | 18/AC/79 |
| Models listed on the APMA that are Type Accepted or eligible for Type Acceptance in New Zealand. | Australian Parts Manufacturer Approval (APMA) | CASA | Replacement* APMA parts and their associated technical data (e.g. ICA) from CASA approved APMA suppliers. *Data associated with ‘modification’ APMAs must satisfy CAR 21 Appendix D (b). | 02/08/2018 | 18/AC/79 |
| Models listed on the PDA that are Type Accepted or eligible for Type Acceptance in New Zealand. | Part Design Approval (PDA) | Transport Canada | PDA parts and their associated technical data (e.g. ICA) from Transport Canada approved PDA suppliers. | 02/08/2018 | 18/AC/79 |
| Models listed on the STC AML that are Type Accepted or eligible for Type Acceptance in New Zealand. | SA 1468 | LBA | Use of Oratex Covering Fabric | 04/02/2016 | 16/ACM/27 |
| | STC 10050167 | EASA | Use of Oratex Covering Fabric | 04/02/2016 | 16/ACM/28 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|--|-----------------|--------------------|---|---------------------|---------------|
| Models on the STC AML for which EASA is the State of Design and which have also been Type Accepted in New Zealand. | STC SA01714WI | FAA | Installation of Garmin GTX330 or GTX335 Series with ADS-B functionality in select airplanes installed with G950/G1000 systems. | 08/09/2017 | 18/ACM/22 |
| Models listed on the STC that are Type Accepted or eligible for Type Acceptance in New Zealand. | SH98-35 | Transport Canada | Helicopter External Transport System – conditions apply per letter ref. 17/ACM/18. | 28/09/2017 | 17/ACM/18 |
| AgustaWestland S.p.A A109E, A109S, AW109SP | STC SR02988CH | FAA | Installation of the Inlet Barrier Filter System (IBF) | 26/06/2017 | 17/ACM/124 |
| Airbus A320 Series | LBA.21E2.TA0741 | EASA | Zonal dryer | 10/6/2009 | 9/ACM/67 |
| Airbus A320 Series | STC 10031757 | EASA | Bucher Leichtbau ATS 16g Stretcher P/N 1123000-series *Note: accepted as “basis” STC only; a separate design change approval is required to allow for installation in the aircraft **Includes acceptance on A321 series | 01/02/2017 | 17/ACM/87 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|-----------------|--------------------|--|---------------------|---------------|
| | STC 10043150 | EASA | Installation of Teledyne Control Wireless Ground Quick Access Recorder | 14/11/2017 | 18/ACM/32 |
| Airbus Helicopters AS350 series | ERR-060 R0 | Transport Canada | MRB LE abrasion strip replacement | 7/6/2013 | 13/ACM/85 |
| | ERR-082 R0 | Transport Canada | MRB polyurethane strip/wedge replacement | 7/6/2013 | 13/ACM/85 |
| | STC 10044362 | EASA | Installation of Concorde lead-acid battery in place of Ni-Cad. | 14/9/2016 | 17ACM/19 |
| Airbus Helicopters AS350 / EC130 series | Type Acceptance | FAA | All FAA STC's | 28/6/2013 | 13/21B/10 |
| | EASA 10028906 | EASA | Installation of Trig Avionics TT31 Mode S Transponder | 29/09/2017 | 18/ACM/33 |
| Airbus Helicopters AS355 series | ERR-073 R0 | Transport Canada | MRB polyurethane strip/wedge replacement | 7/6/2013 | 13/ACM/85 |
| | ERR-074 R0 | Transport Canada | MRB SS LE strip replacement | 7/6/2013 | 13/ACM/85 |
| Airbus Helicopters AS355 series | SH1477SO | FAA | Installation of Controllable Belly Mounted Searchlight (Nightscanner) | 23/11/2017 | 18/ACM/53 |
| | SH3319NM | FAA | Installation of Pulselite Control System | 23/11/2017 | 18/ACM/53 |
| | SR00889SE | FAA | Installation of Simplex 210 agricultural spray tank system | 21/10/2014 | 15/ACM/25 |
| | SR00645LA | FAA | Installation of Emergency Floats | 29/05/2018 | 16/ACM/94 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|----------------------------------|---|--------------------|---|---------------------|---------------|
| Airbus Helicopters AS355 F1 | SR00646SE | FAA | DART replacement skid tube components | 29/05/2018 | 16/ACM/95 |
| Airbus Helicopters EC130 T2 | SH14-31 | Transport Canada | Cargo pod installation | 15/12/2014 | 15/ACM/52 |
| Airbus Helicopters EC135 P2, T2 | EASA.IM.R.S.01356 (now EASA STC # 10016959) | EASA | Installation of Air Comm Corporation Cabin Air Conditioning System | 25/07/2014 | 14/ACM/157 |
| Airbus Helicopters AS332C, L, L1 | SR00631DE-D | FAA | Dual Engine Cycle Counters | 1/11/2013 | 14/ACM/50 |
| Airbus Helicopters MBB BK117 | AC43-14 | CAA | Use of AC for BK117 with 10 passenger seats. | 20/5/2014 | A-540-K01/1 |
| | SR00631DE-D | FAA | Installation of AKV Inc. dual engine cycle counter BK1172XCC system | 11/3/2014 | 14/ACM/102 |
| | SH97-10 | Transport Canada | Installation of Technisonic Transceiver. | 22/4/2014 | 14/ACM/132 |
| | SH15-20 | Transport Canada | Installation of Talon Cargo Hook and optional Chin Mirror. | 3/9/2015 | 16/ACM/12 |
| | STC 10054475 | EASA | Installation of External Load Attachment Device EAD03 on existing hard points | 20/05/2016 | 16/ACM/85 |
| | SR01906LA | FAA | Installation of multiple-place utility troop seating system (limited to MBB-BK117 D-2 only) | 24/05/2016 | 16/ACM/93 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---------------------------------|---|-----------------------|--|--|------------------------|
| ATR 72 series | STC 10045282 | EASA | Installation of Dunlop P/N DR15520T Nose Landing Gear and P/N DZ30730T Main Landing Gear Tyre(s) | 02/03/2017 | 17/ACM/68 |
| Beechcraft 400A | ST02371LA & ST10959SC | FAA | Nextant STC's – Installation of JT15D-5 engine and avionics. | 29/6/2015 | 15/ACM/69 |
| Bell 222 series | Type Acceptance | FAA, Transport Canada | All FAA & Transport Canada STC's | 08/09/2017 | 18/ACM/16 |
| Bell 427 Series | Type Acceptance | FAA, EASA | All FAA STC's | 30/8/2011 | 11/21B/29 |
| Bell 429 Series | Type Acceptance | FAA, EASA | All FAA & EASA STC's | 14/12/2010 | 11/21B/3 |
| Boeing 737-300/400 | SA15-84 | Transport Canada | Installation of second FMS | 14/12/2015 | 16/ACM/42 |
| Boeing 767-300 | EASA.A.S.02890 | EASA | Zonal dryer | 16/3/2009 | 9/ACM/34 |
| Boeing 777-200 | STC 10039911 | EASA | Zonal dryer | 8/6/2012 | 12/MSCA/16 |
| Boeing 777-200, 777-300ER | STC 10061590 | EASA | Demonstration of T-PED Tolerance on Boeing 777 series | 26/09/2017 | 18/ACM/4 |
| Boeing 777-300ER, 777-200/200LR | STC 10062160 and Minor MOD 01523-EAS-B-MAS-01 | EASA | Installation of GX JetWave Ka-Band BroadBand Satellite System on B777-300ER series aircraft to offer in-flight Wireless Local Area Network (WLAN) connectivity | 28/09/2017 (B777-300ER) 19/03/2018 (B777-200/200LR) | 17/ACM/86 18/ACM/58 |
| Boeing 777 Series, 787-9 | STC 10031757 | EASA | Bucher Leichtbau ATS 16g Stretcher P/N 1123000-series | 13/06/2016 | 16/ACM/95 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|------------------|--------------------|--|---------------------|---------------|
| | | | *Note: accepted as “basis” STC only; a separate design change approval is required to allow for installation in the aircraft | | |
| Bombardier DHC-8-300 series | STC 10057280 | EASA | Installation of Dunlop P/N DR26222T Bias Main Landing Gear Tyre(s) | 01/03/2017 | 17/ACM/67 |
| Cessna 172 Series | STC 10014287 | EASA | Replacement Engine (Thielert) | 28/9/2006 | 7/ACM/17 |
| | EASA.A.C.05878 | EASA | Installation of Trig Avionics TT31 Mode S Transponder | 03/11/2017 | 18/ACM/37 |
| Cessna 172R,S, 182S,T, T182T, 206H, T206H | SA10700LA | FAA | Am-safe AAIR System (Special Condition) | 12/4/2005 | A435-06 |
| Cessna C208, C208B | EASA HL/MOD/1358 | EASA | Gama Aviation Installation of Nav/Comm system Garmin GNC 255(x) / GTR 225(x) products | 18/07/2017 | 17/ACM/125 |
| Cessna P210N/R & T210M/N/R | 10038720 | EASA | MT Propellers | 21/12/2012 | 13/ACM/49 |
| Diamond Aircraft Industries DA20-C1 | Type Acceptance | FAA | All FAA STC’s | 24/4/2014 | 3/21B/29 |
| Diamond Aircraft Industries DA 42 | Type Acceptance | FAA | Installation of all FAA STC’s applicable to the DA 42 with TC A57CE | 23 May 2017 | 17/ACM/116 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---------------------|-----------------|--------------------|---|---------------------|---------------|
| | Type Acceptance | EASA | Installation of all EASA STC's applicable to the DA 42 with TC EASA.A.005 | 23 May 2017 | 17/ACM/116 |
| GA200 Series | SA593CH | FAA | Installation of Champion SlickSTART magneto booster system | 10/09/2014 | 14/ACM/156 |
| IAI Westwind 1124A | ST01855CH-D | FAA | Digital Electronic Engine Controls | 1/10/2009 | 10/ACM/14 |
| Kawasaki BK117 | AC43-14 | CAA | Use of AC43-14 for BK117 with 10 passenger seats. | 20/5/2014 | A-540-K01/1 |
| | SR00631DE-D | FAA | Installation of AKV Inc. dual engine cycle counter BK1172XCC system | 11/3/2014 | 14/ACM/102 |
| | SVR509 | CASA | AKV Dual Engine Cycle Counter | 08/12/2014 | DW1301744-0 |
| Learjet 35A | SA1606CE | FAA | Hayes Towed Target System (Restricted category) | 28/8/2003 | 4/ACM/10 |
| | SA2018CE | FAA | Marquart Towed Target System (Restricted category) | 28/8/2003 | 4/ACM/10 |
| MDHI 369 series | ERR-064 R0 | Transport Canada | MRB Void repairs | 7/6/2013 | 13/ACM/85 |
| | ERR-084 R0 | Transport Canada | TRB Void repairs, LE replacement | 7/6/2013 | 13/ACM/85 |
| Mitsubishi MU-2B-30 | SA01933LA-D | FAA | Garmin 400W/500W series | 13/11/2016 | 16/ACM/35 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|---|---------------------|--------------------|--|---------------------|---------------|
| Pacific Aerospace Ltd 750XL | EASA.A.S.03481 | EASA | MT 4-bladed Propeller | 8/8/2008 | 9/ACM/11 |
| | SA10822SC | FAA | Aspen Avionics electronic flight displays | 21/3/2014 | A-540-P10 |
| | Type Certificate | FAA | All FAA STC's | 28/6/2016 | 16/ACM/105 |
| Pilatus PC-6 | IM23-SF-0127 | EASA (DGAC) | Replacement Engine | 22/7/2011 | 12/ACM/3 |
| | STC 10031167 | EASA | MT 4-blader Propeller | 29/11/2013 | 14/ACM/74 |
| Pilatus PC-12 Series | Type Acceptance | FAA, EASA | All FAA STC's & all EASA STC's issued since Nov 2003 | 20/9/2013 | 13/21B/28 |
| Piper PA-28 Series | EASA.A.S.01632 | EASA | Replacement Engine (Thielert) | 28/9/2006 | 7/ACM/12 |
| | EASA HL/MOD/1358 | EASA | Gama Aviation Installation of Nav/Comm system Garmin GNC 255(x) / GTR 225(x) products | 26/05/2017 | 17/ACM/117 |
| P & WC PT6A-20, - 20A, -20B | SE00003EN | FAA | MORE Maintenance Program | 4/4/1996 | 96/MOD/273 |
| P & WC PT6A-34, - 34AG, -34B, -114, - 114A, -116, -135, - 135A | SE00002EN | FAA | MORE Maintenance Program | 9/6/2015 | 15/AC/62 |
| P & WC PT6A-11, - 11AG, -15AG, -110, -112 | SE00004EN | FAA | MORE Maintenance Program | 9/6/2015 | 15/AC/62 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|--------------------------------|----------------|--------------------|--|---------------------|---------------|
| P & WC PT6A-21, 27, -28, | SE000EN | FAA | MORE Maintenance Program | 21/7/2015 | 16/ACM/3 |
| P & WC PT6A-38, -41, -42, -42A | SE00001EN | FAA | MORE Maintenance Program | 21/7/2015 | 16/ACM/5 |
| Reims F406 | SA01933LA-D | FAA | Installation of Garmin 400W series only | 22/04/2016 | 16/ACM/53 |
| | SA01714WI | FAA | Installation of Garmin GTX330 or GTX335 Series with ADS-B Out functionality | 22/04/2016 | 16/ACM/53 |
| | SA02018SE-D | FAA | Installation of Garmin GPS/XM antennas | 22/04/2016 | 16/ACM/53 |
| SOCATA TB 10 & TB 200 | SA372CH | FAA | McCauley governor propeller | 22/9/2014 | 15/MSCA/10 |
| Vulcanair P.68C | SA02019SE-D | FAA | Installation of Garmin GTN 6xx/7xx Navigation System | 17/05/2016 | 16/ACM/71 |
| | SA00765DE | FAA | Installation of ADS-B Out functionality using the BendixKing KT 74 Mode S Transponder and qualified position sensor | 17/05/2016 | 16/ACM/71 |
| Vulcanair P.68 series | SA00343BO | FAA | Installation of a single or of a dual configuration Avidyne Corporation Integrated Flight Display Model IFD5xx and/or Model IFD 4xx, | 15/01/2018 | 18/ACM/42 |

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

| Product Type | Data Reference | Approval Authority | Subject | CAA Acceptance Date | CAA Reference |
|--------------|----------------|--------------------|---|---------------------|---------------|
| | | | loaded with release 10.1 software (or later approved release). | | |
| | 10058132 | EASA | Installation of a single or of a dual configuration Avidyne Corporation Integrated Flight Display Model IFD5xx and/or Model IFD 4xx, loaded with release 10.2 software (or later approved release). | 15/01/2018 | 18/ACM/42 |