



# ClosedActions\_1\_0

---

Schema Documentation

Version 1\_0

## Contents

Document Revision History .....	3
Related Documents .....	3
Closed Actions Schema .....	4
Closed Actions .....	4
Common Types .....	5

## Document Revision History

Date	Document Version	Schema Version	Updated by	Description of changes
18.02.2010	Draft	1_0	Marko Esguerra	Initial creation.
25.02.2010	Draft	1_0	Marko Esguerra	Schema structure changed; optional elements changed to have nillable set to true.
07.04.2010	Initial Version	1_0	Michael Heitland	Initial public version (no changes since 0_1)
04.05.2010	Updated Version	1_0	Michael Heitland	normalizedString changed to token

## Related Documents


Document	Description

## Closed Actions Schema

- Schema file - ClosedActions.xsd
- Schema version - 1\_0
- Namespace - [http://caa.govt.nz/Schema/ClosedActions\\_1\\_0](http://caa.govt.nz/Schema/ClosedActions_1_0)

## Closed Actions

Closed Actions data submitted via the AQD must be in the form of an xml file that complies with the schema shown below. Each xml file contains closed actions for one client only.



Element Name	Type	Size	Notes
ClosedActions	Complex type		Closed Actions data
ClientId	xs:int		Client Id
EmailAddress	xs:token		Must be a valid email address; there must be at least one email address.
Actions	Array of Action		Closed action data for this client (identified by the client id). There must be at least one closed action data.
ActionId	xs: token	9	Client occurrence number
ClosedOn	Date		See <a href="#">Common Types</a>
DueDate	Date		
ActionText	xs: token	2147483647	
InvestigationId	xs: token		Pattern "[0-9]{1,2}/SI/[0-9]{1,}"
ActionResponse	xs:short		

Element Name	Type	Size	Notes
ResponseText	xs: token	2147483647	
ExtActionReference	xs: token	15	
ExtAuditReference	xs: token	25	

## Common Types

Element Type	Description
xs:token	String, where newline, tab and carriage-return characters are converted to space characters before schema processing. Adjacent space characters are collapsed to a single space character, and leading and trailing spaces are removed.
DateTime	xs:datetime in the form <b>ccyy-mm-ddThh:mm:ss.t</b>
Date	xs:date in the form <b>ccyy-mm-dd</b>
xs:int	Valid values from -2147483648 to 2147483647
xs:short	Integer values from -32768 to 32767
xs:float	Floating point values from -3.402823e+038 to 3.402823e+038